

LEVANT



DESKTOP SOCKETS

2024



DESKTOP SOCKETS

SURFACE MOUNT POP-UP OUTLET

Red Dot award winning surface mount pop-up outlet is a contemporary and minimalist pop-up outlet with an ultra-slim profile and excellent aesthetic appeal, designed to provide power and connectivity solution for various appliances to keep a sleek kitchen design and a clutter-free workspace. They are particularly useful for kitchen countertops and under cabinets where wall space is at a premium or clean lines are preferred. You can also use them in several rooms within your homes and offices and maximize your space.

Our patented structure adopts a "Human-Centered Design" concept, with user's perspective in mind, first and foremost while bringing forward innovative features and minimalist style that elevate the functionality and appearance of a pop-up outlet.



reddot winner 2022
product design



SURFACE MOUNT POP-UP OUTLET

Features

Suitable for installation within:



Meeting Rooms



Office



Kitchen



Tea Room



Laundry



Bedroom

....



- ◀ Incorporates a cylindrical shape construction with sleek and durable anodized aluminum alloy enclosure and matte finish flame retardant PC panel, ensuring a longer product lifespan.




- ◀ 15W Qi-wireless charging top lets you charge smartphones and other compatible devices quickly and efficiently, to offer versatile functionality.



Scan, check out the product video for more information.



- ◀ The cover panel in fully retracted position, lies nearly flush with the worktop, making it blend in with the surrounding environment. Supports wireless charging in both elevated and retracted position.



- ◀ Built-in Bluetooth speaker can be paired with compatible devices to stream music, podcasts, or even audiobooks, to give users the consistent experience they demand in their entertainment and work.*


*Available upon request

SURFACE MOUNT POP-UP OUTLET

Features



- It can also be mounted under cabinet where clean kitchen countertop space is preferred, to provide convenience without being too obtrusive.



- Easily accessible to fast charge smartphones and tablets using the 30W USB-C (PD) & USB-A (QC 3.0) charger outlet, when elevated.*
*Available upon request



- Enjoy watching cooking recipes, reading notifications or even video calling on your tablet in the kitchen, without having to worry about running out of battery power.



- Minimalist design and ingenious vertical pop-up feature, effectively manages cables and wires to reduce clutter and maximizes your space to enjoy a more organized and productive workstation.

Features



Features an overload protection switch, to give user extra peace of mind whilst ensuring that the device gets the right amount of power.



Encompasses an ultra-slim collar ring with 1.2mm thickness for a streamlined integration while contributing to the aesthetic beauty of the worktop.



Simply press and pull up the unit in a smooth motion to effortlessly access the outlets.

Features



Equipped with dedicated inlets on the bottom cover to accommodate specific configuration such as ethernet jacks, HDMI interface as well as IEC power inlet.



Supplied with 1.8m pre-wired power cord.



Under-desk cable management to keep all the cables grouped together (not included).

SURFACE MOUNT POP-UP OUTLET

Features



- Allow users to plug multiple appliances conveniently at the same time without the need for stretching cables, unlike traditional sockets.



- Space-saving and safer alternative to traditional plug sockets and extension strips for your kitchen or any room with limited space or wall sockets.



- Water, dust, and oil-resistance preserves functionality and appearance, while ensuring user's safety.

SURFACE MOUNT POP-UP OUTLET

LV-FBT-2:



| Model | Surface Panel Material | Module Capacity | Cutout(mm) |
|-------------|------------------------|-----------------|------------|
| FBT-2AB-1Qi | Tempered glass | 2 | Ø95 |
| FBT-2AB-2Qi | Tempered glass | 4 | Ø95 |
| FBT-2AB-3Qi | Tempered glass | 6 | Ø95 |
| FBT-2AB-4Qi | Tempered glass | 8 | Ø95 |
| FBT-2AB-5Qi | Tempered glass | 10 | Ø95 |

Black tempered glass top cover / black enclosure / black 304 stainless steel collar ring / black finish modules




| Model | Surface Panel Material | Module Capacity | Cutout(mm) |
|-------------|------------------------|-----------------|------------|
| FBT-2BS-1Qi | Tempered glass | 2 | Ø95 |
| FBT-2BS-2Qi | Tempered glass | 4 | Ø95 |
| FBT-2BS-3Qi | Tempered glass | 6 | Ø95 |
| FBT-2BS-4Qi | Tempered glass | 8 | Ø95 |
| FBT-2BS-5Qi | Tempered glass | 10 | Ø95 |


Black tempered glass top cover / silver enclosure / silver 304 stainless steel collar ring / black finish modules

Features


- Wireless charging: Output 15W max
- Equipped with overload protection switch
- Power cable length: 1.8 meters (Customizable)
- Approval: CE, UKCA, RoHS




FBT-2 / 2 modules unit



FBT-2 / 4 modules unit




FBT-2 / 6 modules unit



FBT-2 / 8 modules unit

International modules customization options:

POWER MODULES



USB POWER MODULES



DATA AND MULTIMEDIA MODULES



*For more details on modules configuration, please contact our sales representatives.

- FBT-2AB-1Qi
- FBT-2AB-2Qi
- FBT-2AB-3Qi
- FBT-2AB-4Qi
- FBT-2AB-5Qi

With various top covers for option:



Black tempered glass top cover
Black 304 stainless steel collar ring



Black tempered glass top cover
Silver 304 stainless steel collar ring



Silver tempered glass top cover
Silver 304 stainless steel collar ring

SURFACE MOUNT POP-UP OUTLET

LV-FBT-2:



| Model | Surface Panel Material | Module Capacity | Cutout(mm) |
|-------------|------------------------|-----------------|------------|
| FBT-2CS-1Qi | Tempered glass | 2 | Ø95 |
| FBT-2CS-2Qi | Tempered glass | 4 | Ø95 |
| FBT-2CS-3Qi | Tempered glass | 6 | Ø95 |
| FBT-2CS-4Qi | Tempered glass | 8 | Ø95 |
| FBT-2CS-5Qi | Tempered glass | 10 | Ø95 |

Silver tempered glass top cover / silver enclosure / silver 304 stainless steel collar ring / black finish modules



MOTORIZED POP UP UNIT

Today's modern workspaces demand advanced functionality and aesthetic appearance. Our motorized pop-up unit enables you to achieve these contemporary features, embodying a unique blend of practical functions and modern-inspired design.

Not only will your workspace become more productive and better connected with this incredible addition, but it will also feel ingenious and stylish thanks to the elegant weathered finish and sturdy character.



Suitable for installation within:



Kitchen



Meeting Rooms



Office



Study Room



Living Room



Bedroom

... ..




The flashing LED light enhances the socket top center when the unit is in motion creating a seamless blend to its simplistic & impressive design.



When not in use, the sleek top cover sits flush with the tabletop surface for a discreet and tidy appearance.

MOTORIZED POP UP UNIT

Features



◀ **IP54 Weatherproof protection:**
When in closed position, IP54 seal provides almost complete protection from particles and a good level of protection against water (available in WP version).



◀ **15W wireless charging:**
Wireless-charging top allows you to power Qi-enabled devices by simply placing it directly on the pad.



◀ **Anti-Force mechanism:**
If the unit encounters an obstruction during a raise operation, the anti-force function will activate, and the unit will be paused in the current position.



◀ **Anti-Trap safety mechanism:**
If the unit is obstructed during lowering operation, the anti-trap safety function will reverse the direction of the travel path, and the unit will raise slightly and pause.

MOTORIZED POP UP UNIT

LV-FBT-154 : Waterproof Type

Features

IP54(in closed status)

Wireless charging: output 15W max


Approval: CE, UKCA, RoHS

Patent NO: CN213212473U
(not applicable for SMT-4B-WP)



International modules customization options:

POWER MODULES



USB POWER MODULES



MULTIMEDIA MODULES



*For more details on modules configuration, please contact our sales representatives.

MOTORIZED POP UP UNIT

LV-FBT-154 : Ultra-slim Type



| Model | Surface Panel Material | Module Capacity | Cutout(mm) |
|---------------|------------------------|-----------------|------------|
| FBT-154B/2+WP | Tempered glass | 4 | Ø95 |
| FBT-154B/3+WP | Tempered glass | 6 | Ø95 |
| FBT-154B/4+WP | Tempered glass | 8 | Ø95 |

Black tempered glass top cover / black enclosure / black 304 stainless steel collar ring / black finish modules









| Model | Surface Panel Material | Module Capacity | Cutout(mm) |
|------------|------------------------|-----------------|------------|
| FBT-154B/2 | Tempered glass | 4 | Ø95 |
| FBT-154B/3 | Tempered glass | 6 | Ø95 |
| FBT-154B/4 | Tempered glass | 8 | Ø95 |

Black tempered glass top cover / black enclosure / black 304 stainless steel collar ring / black finish modules



| Model | Surface Panel Material | Module Capacity | Cutout(mm) |
|---------------|------------------------|-----------------|------------|
| FBT-154S/2+WP | Tempered glass | 4 | Ø95 |
| FBT-154S/3+WP | Tempered glass | 6 | Ø95 |
| FBT-154S/4+WP | Tempered glass | 8 | Ø95 |

Silver tempered glass top cover / silver enclosure / silver 304 stainless steel collar ring / black finish modules



| Model | Surface Panel Material | Module Capacity | Cutout(mm) |
|------------|------------------------|-----------------|------------|
| FBT-154S/2 | Tempered glass | 4 | Ø95 |
| FBT-154S/3 | Tempered glass | 6 | Ø95 |
| FBT-154S/4 | Tempered glass | 8 | Ø95 |







Silver tempered glass top cover / silver enclosure / silver 304 stainless steel collar ring / black finish modules

DESKTOP BOXES

We offer various types of desktop sockets providing safe and convenient access to connections such as Power, USB, Data and Multimedia. Instead of running several different cables across your floor, which is a messy trip hazard just waiting to happen, you can bring that connectivity directly to your desk, minimizing all that cable clutter.




Suitable for installation within:

-  Meeting Rooms
-  Office
-  Kitchen
-  Coffee Shop
-  Library
-  Bedroom

... ..

DESKTOP BOXES

Features




◀ **Wide compatibility**
Extensive range of modules option.
**The modules shown do not represent all, please consult our sales representative for more modules, information.*



◀ **Quick and Simple installation**
Easy to install, saves time and efforts.



◀ **Suitable for different applications:**
Depending on each working environment, our desktop sockets fill different places in the delicate desk ecosystem.



◀ **Customizable with various configuration:**
Provides expanded and customizable modules configuration according to different needs.

DESKTOP BOXES

LV-FBT-254 :



FBT-254D/W



FBT-254D/B



FBT-254D/BL



FBT-254D/Y



FBT-254D/G

| Model | Color | Material | Module Capacity | Cutout(mm) |
|-------------|--------|----------|-----------------|------------|
| FBT-254D/W | White | PC | 6 | Ø60/80 |
| FBT-254D/B | Black | PC | 6 | Ø60/80 |
| FBT-254D/BL | Blue | PC | 6 | Ø60/80 |
| FBT-254D/Y | Yellow | PC | 6 | Ø60/80 |
| FBT-254D/G | Green | PC | 6 | Ø60/80 |



Features

Wireless Charging: Output 15W max

Capacitive touch control switch

Smart device control

Except for the Black and White, the MOQ is 200 pcs.

Approval: CE, RoHS




15W Wireless Charging top allows you to power Qi-enabled devices by simply placing it directly on the pad.



Integrated with Tuya module to remotely control the plugged-in devices from anywhere via mobile APP.



Most of the office desks are equipped with a Ø60mm or Ø80mm grommet hole. Therefore, this product eliminates the hassle of an extra opening for mounting.



DESKTOP BOXES

LV-FBT-259 :

Features

FBT-259 F(4.2A)/(2.1A)

Module capacity: 1 type 45 module +1 dual port USB charger

FBT-259 USA(4.2A)/(2.1A)

Module capacity: 2 US socket modules +1 dual port USB charger



FBT-259 W F(4.2A)



FBT-259 B F(4.2A)



FBT-259 W US(4.2A)



FBT-259 B US(4.2A)



FBT-259 W F(2.1A)




FBT-259 B F(2.1A)



FBT-259 W US(2.1A)




FBT-259 B US(2.1A)



*IEC Power Inlet available on request.

STS-R90 F



STS-R90 US

| Model | Color | Material | USB Output | Cutout(mm) |
|--------------------|-------|----------|------------|------------|
| FBT-259 W F(4.2A) | White | PC | 5V/4.2A | Ø80 |
| FBT-259 B F(4.2A) | Black | PC | 5V/4.2A | Ø80 |
| FBT-259 W US(4.2A) | White | PC | 5V/4.2A | Ø80 |
| FBT-259 B US(4.2A) | Black | PC | 5V/4.2A | Ø80 |
| FBT-259 W F(2.1A) | White | PC | 5V/2.1A | Ø80 |
| FBT-259 B F(2.1A) | Black | PC | 5V/2.1A | Ø80 |
| FBT-259 W US(2.1A) | White | PC | 5V/2.1A | Ø80 |
| FBT-259 B US(2.1A) | Black | PC | 5V/2.1A | Ø80 |


DESKTOP BOXES

Features



Small but powerful:

Avoid wire tangles and easily charge your devices right on your desktop with this compact flush mount power grommet. Integrated with a dual port USB A+C charger with a total power output of 21W (max) and a customizable power module, providing a convenient in-desk power and charging solution. Ideal for use for on desks, tables, and benches with rear access.



Intelligent charging:

USB ports adapt to the charging capabilities of your connected devices and provides the optimal charging current.



Easy to install:

Fits easily and can be mounted on Ø80mm circular grommet hole, making installation quick and simple.

Suitable for installation within:



Lounge



Office



Drawing Room



Coffee Shop



Library



Bedroom

... ..

Features




FBT-259 -2
1xType 45 series power module +
1xDual port type A+C USB charger

FBT-259 -2-US
2xUS power module +
1xDual port type A+C USB charger


USB output:
10.5W for single; 21W for total

Available power connection type:
IEC power inlet,
GST power inlet,
Pre-wired power cable with preferred
plug


Approval: CE, RoHS, REACH



IEC Power Inlet



GST Power Inlet



Pre-wired Power Cable

DESKTOP BOXES

LV-FBT-259-2 :



FBT-259 -2 W



FBT-259 -2 B



FBT-259 -2 W-US



FBT-259 -2 B-US

| Model | Color | Material | USB Output | Cutout(mm) |
|-----------------|-------|----------|------------|------------|
| FBT-259 -2 W | White | PC | 5V/4.2A | Ø80 |
| FBT-259 -2 B | Black | PC | 5V/4.2A | Ø80 |
| FBT-259 -2 W-US | White | PC | 5V/4.2A | Ø80 |
| FBT-259 -2 B-US | Black | PC | 5V/4.2A | Ø80 |



DESKTOP BOXES

Features




◀ **15W wireless charging:**

The surface top delivers up to 15W of wireless power to charge your Qi-enabled phones by simply placing it directly on the pad.




◀ **Small but powerful:**

Avoid wire tangles and easily charge your devices right on your desktop with this compact in-desk charging solution. Integrated with a dual port USB A+C charger with a total power output of 21W(max), making it particularly suitable for work tops with limited space or where restricted to pre-cut Ø80mm grommet holes.



◀ **Intelligent charging:**

USB ports adapt to the charging capabilities of your connected devices and provides the optimal charging current.



◀ **Easy to install:**

Fits easily and can be mounted on Ø80mm circular grommet hole, making installation quick and simple.

Suitable for installation within:



Lounge



Office



Drawing Room



Coffee Shop



Library



Bedroom

... ..



Features

Configuration:
Wireless charging +
Dual port type A+C USB charger

Wireless charging: Output 15W max

USB output:
10.5W for single; 21W for total

Available power connection type:
GST power inlet,
Pre-wired power cable with preferred plug

Approval: CE, RoHS, REACH

DESKTOP BOXES

LV-FBT-259-3:






▲ FBT-259-3W




▲ FBT-259-3B

| Model | Color | Material | USB Output | Wireless charging | Cutout(mm) |
|------------|-------|----------|------------|-------------------|------------|
| FBT-259-3W | White | PC | 5V/4.2A | 15W max | Ø80 |
| FBT-259-3B | Black | PC | 5V/4.2A | 15W max | Ø80 |



GST Power Inlet



Pre-wired Power Cable



DESKTOP BOXES

Features



◀ Smooth sliding lid operation



◀ Stylish & discreet appearance



◀ 15W wireless charging



◀ Customizable length



◀ Magnetic lock

Suitable for installation within:



Lounge



Office



Drawing Room



Coffee Shop



Library



Bedroom


... ..

Features

Wireless charging: Output 15W max

Power cable length: 2 meters (Customizable)


Approval: CE, RoHS, REACH



Accessing power outlets


Slide open the lid to access the power outlets.

Slide back the lid to conceal the power outlets when not in use.



Wireless Charging

Place the device gently on the top of cover and charge, compatible with all Qi enabled devices. Make sure the center of the device is aligned over the center of the charging base.



DESKTOP BOXES


LV-FBT-260:



▲ FBT-260B-Qi



▲ FBT-260W-Qi



▲ FBT-260S-Qi

| Model | Color | Material | *Module Capacity | Cutout(mm) |
|-------------|--------|--------------------|------------------|------------|
| FBT-260B-Qi | Black | Aluminum alloy+PVC | 4 | 237x77 |
| FBT-260W-Qi | White | Aluminum alloy+PVC | 4 | 237x77 |
| FBT-260S-Qi | Silver | Aluminum alloy+PVC | 4 | 237x77 |

**Can be customized as per desired modules requirement*



DESKTOP BOXES

LV-FBT-261:



| Model | Color | Material | *Module Capacity | Application |
|--------------|--------|-------------|------------------|----------------------|
| FBT-261S-2 | Silver | Aluminum+PC | 4 | Desktop, Workstation |
| FBT-261B-2 | Black | Aluminum+PC | 4 | Desktop, Workstation |
| FBT-261S-3 | Silver | Aluminum+PC | 6 | Desktop, Workstation |
| FBT-261B-3 | Black | Aluminum+PC | 6 | Desktop, Workstation |
| FBT-261S-4 | Silver | Aluminum+PC | 8 | Desktop, Workstation |
| FBT-261B-4 | Black | Aluminum+PC | 8 | Desktop, Workstation |
| FBT-261S-5 | Silver | Aluminum+PC | 10 | Desktop, Workstation |
| FBT-261B-5 | Black | Aluminum+PC | 10 | Desktop, Workstation |
| FBT-261S-6 | Silver | Aluminum+PC | 12 | Desktop, Workstation |
| FBT-261B-6 | Black | Aluminum+PC | 12 | Desktop, Workstation |
| FBT-261S-1+G | Silver | Aluminum+PC | 2 | Desktop, Workstation |
| FBT-261B-1+G | Black | Aluminum+PC | 2 | Desktop, Workstation |
| FBT-261S-2+G | Silver | Aluminum+PC | 4 | Desktop, Workstation |
| FBT-261B-2+G | Black | Aluminum+PC | 4 | Desktop, Workstation |
| FBT-261S-3+G | Silver | Aluminum+PC | 6 | Desktop, Workstation |
| FBT-261B-3+G | Black | Aluminum+PC | 6 | Desktop, Workstation |
| FBT-261S-4+G | Silver | Aluminum+PC | 8 | Desktop, Workstation |
| FBT-261B-4+G | Black | Aluminum+PC | 8 | Desktop, Workstation |






*Can be customized as per desired modules requirement

Features

Constructed with sleek and durable anodized aluminum alloy enclosure, ensuring a longer product lifespan.

Equipped with side brackets to easily mount on the underside of your desk.


Module capacity: can be customized



*These dimensions are not applicable to units with 13A UK type modules and 16A South African SANS 164-1 type modules. For more details, please contact our sales representative.

DESKTOP BOXES

LV-FBT-262:



| Model | Color | Material | *Module Capacity | Application |
|--------------|--------|-------------|------------------|---------------------|
| FBT-262S-2 | Silver | Aluminum+PC | 4 | Surface, Under-desk |
| FBT-262B-2 | Black | Aluminum+PC | 4 | Surface, Under-desk |
| FBT-262S-3 | Silver | Aluminum+PC | 6 | Surface, Under-desk |
| FBT-262B-3 | Black | Aluminum+PC | 6 | Surface, Under-desk |
| FBT-262S-4 | Silver | Aluminum+PC | 8 | Surface, Under-desk |
| FBT-262B-4 | Black | Aluminum+PC | 8 | Surface, Under-desk |
| FBT-262S-5 | Silver | Aluminum+PC | 10 | Surface, Under-desk |
| FBT-262B-5 | Black | Aluminum+PC | 10 | Surface, Under-desk |
| FBT-262S-6 | Silver | Aluminum+PC | 12 | Surface, Under-desk |
| FBT-262B-6 | Black | Aluminum+PC | 12 | Surface, Under-desk |
| FBT-262S-1+G | Silver | Aluminum+PC | 2 | Surface, Under-desk |
| FBT-262B-1+G | Black | Aluminum+PC | 2 | Surface, Under-desk |
| FBT-262S-2+G | Silver | Aluminum+PC | 4 | Surface, Under-desk |
| FBT-262B-2+G | Black | Aluminum+PC | 4 | Surface, Under-desk |
| FBT-262S-3+G | Silver | Aluminum+PC | 6 | Surface, Under-desk |
| FBT-262B-3+G | Black | Aluminum+PC | 6 | Surface, Under-desk |
| FBT-262S-4+G | Silver | Aluminum+PC | 8 | Surface, Under-desk |
| FBT-262B-4+G | Black | Aluminum+PC | 8 | Surface, Under-desk |

*Can be customized as per desired modules requirement





Features

Quick and easy installation.

The unit can be supplied with GST connectors or pre-wired power cord, as per user's requirement.

Constructed with sleek and durable anodized aluminum alloy enclosure, ensuring a longer product lifespan.

Module capacity: can be customized



*These dimensions are not applicable to units with 13A UK type modules and 16A South African SANS 164-1 type modules. For more details, please contact our sales representative.

DESKTOP BOXES

LV-FBT-266 :



| Model | Color | Material | *Module Capacity | Cutout(mm) |
|--------------|--------|-------------|------------------|------------|
| FBT-266S-3 | Silver | Aluminum+PC | 6 | 151x63 |
| FBT-266B-3 | Black | Aluminum+PC | 6 | 151x63 |
| FBT-266S-4 | Silver | Aluminum+PC | 8 | 196x63 |
| FBT-266B-4 | Black | Aluminum+PC | 8 | 196x63 |
| FBT-266S-5 | Silver | Aluminum+PC | 10 | 241x63 |
| FBT-266B-5 | Black | Aluminum+PC | 10 | 241x63 |
| FBT-266S-1+G | Silver | Aluminum+PC | 2 | 160x63 |
| FBT-266B-1+G | Black | Aluminum+PC | 2 | 160x63 |
| FBT-266S-2+G | Silver | Aluminum+PC | 4 | 205x63 |
| FBT-266B-2+G | Black | Aluminum+PC | 4 | 205x63 |
| FBT-266S-3+G | Silver | Aluminum+PC | 6 | 250x63 |
| FBT-266B-3+G | Black | Aluminum+PC | 6 | 250x63 |

*Can be customized as per desired modules requirement




Features

Constructed with sleek and durable anodized aluminum alloy enclosure, ensuring a longer product lifespan.

Quick and easy installation

The unit can be supplied with GST connectors or pre-wired power cord, as per user's requirement.

Module capacity: can be customized



*These dimensions are not applicable to units with 13A UK type modules and 16A South African SANS 164-1 type modules. For more details, please contact our sales representative.



DESKTOP BOXES

LV-FBT-267 :



| Model | Color | Material | *Module Capacity | Application |
|------------|--------|-------------|------------------|----------------------|
| FBT-267S-2 | Silver | Aluminum+PC | 4 | Desktop, Workstation |
| FBT-267B-2 | Black | Aluminum+PC | 4 | Desktop, Workstation |
| FBT-267S-3 | Silver | Aluminum+PC | 6 | Desktop, Workstation |
| FBT-267B-3 | Black | Aluminum+PC | 6 | Desktop, Workstation |
| FBT-267S-4 | Silver | Aluminum+PC | 8 | Desktop, Workstation |
| FBT-267B-4 | Black | Aluminum+PC | 8 | Desktop, Workstation |
| FBT-267S-5 | Silver | Aluminum+PC | 10 | Desktop, Workstation |
| FBT-267B-5 | Black | Aluminum+PC | 10 | Desktop, Workstation |
| FBT-267S-6 | Silver | Aluminum+PC | 12 | Desktop, Workstation |
| FBT-267B-6 | Black | Aluminum+PC | 12 | Desktop, Workstation |

*Can be customized as per desired modules requirement








Features

Constructed with sleek and durable anodized aluminum alloy enclosure, ensuring a longer product lifespan.

Easily clamp mounts on the edge of desk with thickness range: 5-50mm. No tools required.

Module capacity: can be customized

Patent NO: CN307384056S



*These dimensions are not applicable to units with 13A UK type modules and 16A South African SANS 164-1 type modules. For more details, please contact our sales representative.

DESKTOP BOXES

LV-FBT-270 :



FBT-270 W



FBT-270 B

| Model | Color | Material | Module Capacity | Cutout(mm) |
|-----------|-------|----------------|-----------------|------------|
| FBT-270 W | White | Aluminum Alloy | 8 | 250x150 |
| FBT-270 B | Black | Aluminum Alloy | 8 | 250x150 |



LV-FBT-272 :



FBT-272 S



FBT-272 B

| Model | Color | Material | Module Capacity | Cutout(mm) |
|-----------|--------|----------|----------------------------|------------|
| FBT-272 S | Silver | Aluminum | 2 power+3 Type 120 modules | 225x112 |
| FBT-272 B | Black | Aluminum | 2 power+3 Type 120 modules | 225x112 |


Features

With super slim aluminum alloy profile which sits nearly flush with worktop for a discreet and tidy appearance.

Quick and easy installation.



Equipped with black brush strip which prevents dust infiltration and allows plugged-in cables to exit the lid whilst in the closed position.




Features

With soft pop up mechanism

Steel material base box


Approval: CE, RoHS



Features

With soft pop up mechanism


ABS base box



Features

With soft pop up mechanism

ABS base box



DESKTOP BOXES

LV-FBT-282 :



FBT-282/S



FBT-282/B




FBT-282/W

| Model | Color | Material | *Module Capacity | Cutout(mm) |
|-----------|--------|--------------------|------------------|------------|
| FBT-282/S | Silver | Aluminum alloy+ABS | 6 | 230x110 |
| FBT-282/B | Black | Aluminum alloy+ABS | 6 | 230x110 |
| FBT-282/W | White | Aluminum alloy+ABS | 6 | 230x110 |

**Can be customized as per desired modules requirement*


LV-FBT-287 :



FBT-287/S



FBT-287/B



FBT-287/W

| Model | Color | Material | *Module Capacity | Cutout(mm) |
|-----------|--------|--------------------|------------------|------------|
| FBT-287/S | Silver | Aluminum alloy+ABS | 4 | 145x110 |
| FBT-287/B | Black | Aluminum alloy+ABS | 4 | 145x110 |
| FBT-287/W | White | Aluminum alloy+ABS | 4 | 145x110 |

**Can be customized as per desired modules requirement*

DESKTOP BOXES

LV-FBT-290D:



FBT-290D/2 S



FBT-290D/2 B




FBT-290D/3 S



FBT-290D/3 B

Features



Quick and easy installation





Double-sided cover opening with damped hinge mechanism

| Model | Color | Material | Module Capacity | Cutout(mm) |
|--------------|--------|----------|-----------------|------------|
| FBT-290D/2 S | Silver | Aluminum | 8 | 315x135 |
| FBT-290D/2 B | Black | Aluminum | 8 | 315x135 |
| FBT-290D/3 S | Silver | Aluminum | 12 | 442x135 |
| FBT-290D/3 B | Black | Aluminum | 12 | 442x135 |

FBT-290D/2



FBT-290D/3



DESKTOP BOXES


LV-FBT-320:

Features


With soft close mechanism

Flush-mount flip-up box

STS-120/1



STS-120/2




Features

With soft close mechanism


Flush-mount flip-up box

Approval: RoHS

STS-220/1




STS-220/2



FBT-320/1 S



FBT-320/1 B




FBT-320/2 S




FBT-320/2 B

| Model | Color | Material | Module Capacity | Cutout(mm) |
|-------------|--------|----------|-----------------|------------|
| FBT-320/1 S | Silver | Aluminum | 4 | 160x104 |
| FBT-320/1 B | Black | Aluminum | 4 | 160x104 |
| FBT-320/2 S | Silver | Aluminum | 8 | 284x104 |
| FBT-320/2 B | Black | Aluminum | 8 | 284x104 |

LV-FBT-322:



FBT-322/1 S



FBT-322/1 B



FBT-322/2 S



FBT-322/2 B

| Model | Color | Material | Module Capacity | Cutout(mm) |
|-------------|--------|----------|-----------------|------------|
| FBT-322/1 S | Silver | Aluminum | 4 | 153x92 |
| FBT-322/1 B | Black | Aluminum | 4 | 153x92 |
| FBT-322/2 S | Silver | Aluminum | 8 | 281x92 |
| FBT-322/2 B | Black | Aluminum | 8 | 281x92 |

USB TABLE CHARGERS

We offer a range of unique and contemporary USB table chargers with fast charging technology, that can make sure your devices stay fully charged and powered up in shortest possible time. Suitable for flexible workspace design.



USB TABLE CHARGER

Features



Power of Dual:

Featuring a USB-C PD port and a Qualcomm Quick Charge 3.0 port, to quickly charge up to 2 of your devices at a time (max up to 105W).

Compact design:

Features a compact & minimalist round design that includes a sleek construction, and LED power indicator which will light up in quick charging mode for each port.

Safety Protection:

Equipped with built-in safety measures that prevent overcharging and overheating for a little extra piece of mind.

Cable pass through grommet:

The integrated cable pass through grommet eliminates cable clutters and maximizes desk space contributing to a neat appearance.

Universal Compatibility:

With optimized charging technology, both the featured USB ports can connect with most of the compatible devices including smartphones, tablets and laptops.

Suitable for installation within:



Lounge



Office



Drawing Room



Coffee Shop



Library



Bedroom

... ..

Charging adapter options



LV-FBT-1001:
Supplied with 20W fast charging adapter
Plug type: Collapsible
Available AC plug adapter options: US and EU



LV-FBT-1002:
Supplied with 65W GaN fast charging adapter
Plug type: Collapsible
Available AC plug adapter options: US pin



LV-FBT-1003:
Supplied with 105W GaN fast charging adapter
Plug type: Collapsible
Available AC plug adapter options: US, EU, UK and AU
(the adapter has 3 USB ports: 1*USB-A and 2*USB-C, termed as A, C1 and C2 respectively in the output parameters below.)



Features

20W, 65W, 105W options available

FBT-501-1W/C20,FBT-1B/C20




- Single output:
C port(PD3.0): 5V/3A, 9V/2.22A, 12V/1.67A
A port(QC3.0/2.0): 5V/3A, 9V/2A, 12V/1.5A
- Both output: 5V/3.5A Max

FBT-501-1W/C65,FBT-1B/C65

- Output C port:
1. QC2.0/3.0(AFC): 5V/3A, 9V/3A, 12V/3A
2. PD/PPS/QC4(when C port single output):
5V/2.4A, 9V/3A, 12V/3A, 15V/4A, 20V/3.25A(65W)
PD/PPS/QC4(when C & A port both output):
5V/2.4A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A(45W)
- Output A port: 5V/2.4A Max

FBT-501-1W/C105,FBT-1B/C105

- Single output:
1. C1 port(QC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A
2. C1 port(PD3.0/PPS/QC4+):
5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/5A
3. C2 port(PD3.0): 5V/2.4A, 9V/2A
4. A port(QC3.0/FCP/AFC): 5V/3A, 9V/2A
- Both output:
1. C1 port(QC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A
2. C1 port(PD3.0/PPS/QC4+):
5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/4.35A
3. C2 & A port: 5V/3.5A Max



The office desk has its own opening, most of which are 50~60mm, saving the steps of opening.

USB TABLE CHARGER

LV-FBT-501:



FBT-501-1W/C20
FBT-501-1W/C65
FBT-501-1W/C105



FBT-501-1B/C20
FBT-501-1B/C65
FBT-501-1B/C105

| Model | Color | Material | Input | Cutout(mm) |
|-----------------|-------|----------|------------------|------------|
| FBT-501-1W/C20 | White | PC | 100-240V AC 0.5A | Ø50~60 |
| FBT-501-1B/C20 | Black | PC | 100-240V AC 0.5A | Ø50~60 |
| FBT-501-1W/C65 | White | PC | 100-240V AC 1.6A | Ø50~60 |
| FBT-501-1B/C65 | Black | PC | 100-240V AC 1.6A | Ø50~60 |
| FBT-501-1W/C105 | White | PC | 100-240V AC 2.6A | Ø50~60 |
| FBT-501-1B/C105 | Black | PC | 100-240V AC 2.6A | Ø50~60 |



USB TABLE CHARGER

Features



Power of Dual:

Featuring a USB-C PD port and a Qualcomm Quick Charge 3.0 port, to quickly charge up to 2 of your devices at a time (max up to 105W).




Unique design:

This compact charger features a unique & minimalist trapezoid design that includes a sleek construction, and LED power indicator which will light up in quick charging mode for each port.



Safety Protection:

Equipped with built-in safety measures that prevent overcharging and overheating for a little extra piece of mind.



Protective Dust Cover:

Equipped with dust covers to protect unused USB ports from dust and moisture.



Universal Compatibility:

With optimized charging technology, both the featured USB ports can connect with most of the compatible devices including smartphones, tablets and laptops.

Suitable for installation within:



Lounge



Office



Drawing Room



Coffee Shop



Library



Bedroom

... ..

Charging adapter options



LV-FBT-1001:

Supplied with 20W fast charging adapter
Plug type: Collapsible
Available AC plug adapter options: US and EU



LV-FBT-1002:

Supplied with 65W GaN fast charging adapter
Plug type: Collapsible
Available AC plug adapter options: US pin



LV-FBT-1003:

Supplied with 105W GaN fast charging adapter
Plug type: Collapsible
Available AC plug adapter options: US, EU, UK and AU
(the adapter has 3 USB ports: 1*USB-A and 2*USB-C, termed as A, C1 and C2 respectively in the output parameters below.)



Features

20W, 65W, 105W options available

STC-2W/C20, STC-2B/C20


- Single output:
C port(PD3.0): 5V/3A, 9V/2.22A, 12V/1.67A
A port(QC3.0/2.0): 5V/3A, 9V/2A, 12V/1.5A
- Both output: 5V/3.5A Max

STC-2W/C65, STC-2B/C65

- Output C port:
1. QC2.0/3.0/AFC: 5V/3A, 9V/3A, 12V/3A
2. PD/PPS/QC4(when C port single output):
5V/2.4A, 9V/3A, 12V/3A, 15V/4A, 20V/3.25A(65W)
PD/PPS/QC4(when C & A port both output):
5V/2.4A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A(45W)
- Output A port: 5V/2.4A Max

STC-2W/C105, STC-2B/C105

- Single output:
1. C1 port(QC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A
2. C1 port(PD3.0/PPS/QC4+):
5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/5A
3. C2 port(PD3.0): 5V/2.4A, 9V/2A
4. A port(QC3.0/FCP/AFC): 5V/3A, 9V/2A
- Both output:
1. C1 port(QC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A
2. C1 port(PD3.0/PPS/QC4+):
5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/4.35A
3. C2 & A port: 5V/3.5A Max



USB TABLE CHARGER

LV-FBT-502:



▲
FBT-501-2W/C20
FBT-501-2W/C65
FBT-501-2W/C105



▲
FBT-501-2B/C20
FBT-501-2B/C65
FBT-501-2B/C105

| Model | Color | Material | Input | Application |
|-----------------|-------|----------|------------------|-------------|
| FBT-501-2W/C20 | White | PC | 100-240V AC 0.5A | Table |
| FBT-501-2B/C20 | Black | PC | 100-240V AC 0.5A | Table |
| FBT-501-2W/C65 | White | PC | 100-240V AC 1.6A | Table |
| FBT-501-2B/C65 | Black | PC | 100-240V AC 1.6A | Table |
| FBT-501-2W/C105 | White | PC | 100-240V AC 2.6A | Table |
| FBT-501-2B/C105 | Black | PC | 100-240V AC 2.6A | Table |



USB TABLE CHARGER

Features



Small in size, big on power:

Power up your smart gadgets with this retractable ultra-compact design charging station. Featuring dual USB-A ports and a single USB-C port, this unit supports the mainstream fast charging PD & QC 3.0 protocols with total power output of 42W (max), providing safe and efficient charging for smartphones, tablets, and other devices.

*Refer to the specifications chart




Power where you need it:

Charge up to three devices simultaneously from the comfort of your sofa, desk, or bed without having to rely on messy-looking extension cords.



Intelligent charging:

USB ports adapt to the charging capabilities of your connected devices and provides the optimal charging current.



Easy to install:

Fits easily and can be mounted on Ø50mm-Ø60mm circular grommet hole, making installation quick and simple.



Clean look:

With this unit, you can be sure of creating your desired contemporary and sophisticated look in your home or office: choose between glossy and dermatoglyph finish (white or black). In addition, customized color trends are available on request, to meet your design requirements.

Suitable for installation within:



Lounge



Office



Drawing Room



Coffee Shop




Library



Bedroom

... ..



Features

- USB-A1: 5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A (QC3.0, 30W Max)
- USB-A2: 5V/3A, 9V/3A, 12V/2.5A (QC3.0, 30W Max)
- USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (PD QC3.0, 30W Max)
- USB-A1+USB-A2: 30W+12W (42W Max) (QC3.0+QC3.0)
- USB-A1+USB-C: 12W+12W (24W Max) (BC1.2)
- USB-A2+USB-C: 12W+30W (36W Max) (QC3.0+PD)
- USB-A1+USB-A2+USB-C: 12W+18W+12W (42W Max) (BC1.2+QC3.0+BC1.2)

USB TABLE CHARGER

LV-FBT-504:



FBT-504-MW








FBT-504-MB



FBT-504-W



FBT-504-B



| Model | Color | Material | Surface | Cutout(mm) |
|------------|-------|----------|---------------------|------------|
| FBT-504-MW | White | PC | Dermatoglyph finish | Ø50-60 |
| FBT-504-MB | Black | PC | Dermatoglyph finish | Ø50-60 |
| FBT-504-W | White | PC | Glossy finish | Ø50-60 |
| FBT-504-B | Black | PC | Glossy finish | Ø50-60 |



USB TABLE CHARGER

LV-FBT-505:



▲
FBT-505-S/C20
FBT-505-S/C65
FBT-505-S/C105



▲
FBT-505-B/C20
FBT-505-B/C65
FBT-505-B/C105

| Model | Color | Material | Input | Cutout(mm) |
|----------------|-------|----------|------------------|------------|
| FBT-505-S/C20 | White | PC | 100-240V AC 0.5A | 54x16 |
| FBT-505-B/C20 | Black | PC | 100-240V AC 0.5A | 54x16 |
| FBT-505-S/C65 | White | PC | 100-240V AC 1.6A | 54x16 |
| FBT-505-B/C65 | Black | PC | 100-240V AC 1.6A | 54x16 |
| FBT-505-S/C105 | White | PC | 100-240V AC 2.6A | 54x16 |
| FBT-505-B/C105 | Black | PC | 100-240V AC 2.6A | 54x16 |



Features

20W, 65W, 105W options available

FBT-505-W/C20, FBT-505-B/C20

- Single output:
C port(PD3.0): 5V/3A, 9V/2.22A, 12V/1.67A
A port(QC3.0/2.0): 5V/3A, 9V/2A, 12V/1.5A
- Both output: 5V/3.5A Max

FBT-505-W/C65, FBT-505-B/C65

- Output C port:
1. QC2.0/3.0/AFC: 5V/3A, 9V/3A, 12V/3A
2. PD/PPS/QC4(when C port single output):
5V/2.4A, 9V/3A, 12V/3A, 15V/4A, 20V/3.25A(65W)
PD/PPS/QC4(when C & A port both output):
5V/2.4A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A(45W)
- Output A port: 5V/2.4A Max

FBT-505-W/C105, FBT-505-B/C105

- Single output:
1. C1 port(QC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A
2. C1 port(PD3.0/PPS/QC4+):
5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/5A
3. C2 port(PD3.0): 5V/2.4A, 9V/2A
4. A port(QC3.0/FCP/AFC): 5V/3A, 9V/2A
- Both output:
1. C1 port(QC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A
2. C1 port(PD3.0/PPS/QC4+):
5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/4.35A
3. C2 & A port: 5V/3.5A Max

Charging adapter options




LV-FBT-1001:
Supplied with 20W fast charging adapter
Plug type: Collapsible
Available AC plug adapter options: US and EU



LV-FBT-1002:
Supplied with 65W GaN fast charging adapter
Plug type: Collapsible
Available AC plug adapter options: US pin



LV-FBT-1003:
Supplied with 105W GaN fast charging adapter
Plug type: Collapsible
Available AC plug adapter options: US, EU, UK and AU
(the adapter has 3 USB ports: 1*USB-A and 2*USB-C, termed as A, C1 and C2 respectively in the output parameters below.)



Suitable for installation within:



Lounge



Office



Drawing Room



Coffee Shop







Library



Bedroom

...

Features



◀ Small in size, big on power:

Power up your smart gadgets with this retractable ultra-compact design multi charging station. Featuring a single USB-A port and USB-C port, this unit supports the mainstream fast charging PD & QC 3.0 protocols with total power output of 38W (max), providing safe and efficient charging for smartphones, tablets, and other devices.

◀ 15W wireless charging:

The surface top delivers up to 15W of wireless power to charge your Qi-enabled phones by simply placing it directly on the pad.

◀ Ultra-slim profile:

The cover panel in fully retracted position, lies nearly flush with the worktop, making it blending with the surrounding environment.

◀ Easy to install:

Fits easily and can be mounted on Ø60mm circular grommet hole, making installation quick and simple.

◀ Aesthetic appeal:

With this unit, you can be sure of creating your desired contemporary and sophisticated look in your home or office. In addition, customized color trends are available on request, to meet your design requirements.

USB TABLE CHARGER

LV-FBT-506:



FBT-506MW



FBT-506MB






| Model | Color | Material | Surface | Cutout(mm) |
|-----------|-------|----------|---------------------|------------|
| FBT-506MW | White | PC | Dermatoglyph finish | Ø60 |
| FBT-506MB | Black | PC | Dermatoglyph finish | Ø60 |



Features

Supplied with 24V3A adapter

- USB-A: 5V/3A, 9V/2A, 12V/1.5A (QC3.0, 18W Max)
- USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (PD QC3.0, 20W Max)
- USB-A+USB-C: 18W+20W (38W Max)
- USB-A+Wireless: 18W+15W (33W Max)
- USB-C+Wireless: 20W+15W (35W Max)
- USB-A+USB-C+Wireless: 18W+20W+15W (53W Max)



UNDER-DESK SPINAL CABLE DUCT


Our under-desk spinal cable duct is a great way to keep all of your cables grouped together. They are designed to vertically follow the movement of any height-adjustable desks or regular fixed height desks and provide a protective cover to your cables, preventing them from getting damaged.

Along with cable protection, it also makes your workstation aesthetically pleasing.



UNDER DESK SPINAL CABLE DUCT


LV-FBT-901:




FBT-901/S



FBT-901/B



FBT-901/W



FBT-901

| Model | Color | Material |
|-----------|--------|----------|
| FBT-901/S | Silver | ABS |
| FBT-901/B | Black | ABS |
| FBT-901/W | White | ABS |

UNDER DESK SPINAL CABLE DUCT

LV-FBT-903:




FBT-903/S



FBT-903/B




FBT-903/W



FBT-903

| Model | Color | Material |
|-----------|--------|----------|
| FBT-903/S | Silver | ABS |
| FBT-903/B | Black | ABS |
| FBT-903/W | White | ABS |

LV-FBT-902:




FBT-902/S



FBT-902/B



FBT-902/W



FBT-902

| Model | Color | Material |
|-----------|--------|----------|
| FBT-902/S | Silver | ABS |
| FBT-902/B | Black | ABS |
| FBT-902/W | White | ABS |

Features

- Practical way to keep your cables neat and tidy.
- Snap-together interlink blocks with base plate and top hooking element to screw under top surface.
- Routes cables from desk to floor.
- Quickly insert and remove cables inside guide.
- Easy installation underneath a desk.



FBT-901

FBT-902

FBT-903

USB TABLE CHARGERS

We offer a range of unique and contemporary USB table chargers with fast charging technology, that can make sure your devices stay fully charged and powered up in shortest possible time. Suitable for flexible workspace design.



**DESKTOP
SOCKETS**

2024