


LV-Brighter

Brighter the elegance of Bulk Light, featuring an aluminum frame and Anti UV diffuser with a wide 120-degree beam angle. Available in stylish black and white, this energy-efficient light is waterproof with an IP65 rating. It offers flicker-free illumination and boasts a long lifespan of up to 30,000 hours. Bulk Light is the perfect choice for modern and durable lighting.



	LV-Brighter-22W	LV-Brighter-32W
Power	22W	32W
Efficiency	90 lm/w	90 lm/w
Luminous flux [lm]	1980	2880
CRI	>80	>80
PF	>0.6	>0.6
IP	IP65	IP65
Diffuser	anti UV	anti UV
LED Chips	CHIP 2835	CHIP 2835
Material	ALUMINUM BODY	ALUMINUM BODY
Inbut Voltage	AC120-300V 50-60Hz	AC120-300V 50-60Hz
Beam Angle	120°	120°
Body Color	Black / white	Black / white
Dimension	φ170*H40mm	φ225*H40 mm

■ Technical Drawing



■ Features




120° Beam Angle



IP65



NO FLICKER



CCT 6000K 4000K 3000K

Body color



Life Span 30000h



Efficiency 90 lm/w

Application General Lighting Show Room Office Education




strong light
strong brightness


■ Motion Sensor Option:



Motion Sensor: Activates lights upon detecting motion, deactivates when motion is no longer detected.



Light Sensor: Inactive during daylight hours, lights remain off; only triggers when ambient light falls below 6 lux.



Motion Sensor with 3.5W Light: Lights up when motion is detected, remains illuminated as long as motion persists, powered by a 3.5W light source.



Effective detection range
3-4 meters



Automatic Light Duration
Automatically turns off after 30 seconds
of inactivity.