




LAMP

This LED area light only uses Premium grade LED components. High strength housing make this an industrial grade LED Parking lot lights or Shoebox light.

Light can be dimmed to ideal brightness levels to save energy and get the light levels for your area. Includes a flood mount bracket that can be adjusted all the way forward and back. Light can also be used on a building, for sports fields, roadways or any other use. Highly versatile light.

Technical Specification


Power	50W	100W	150W	200W	250W	300W	400W	500W	600W
Net weight	1.22kg	1.82kg	2.42kg	3.04kg	3.74kg	4.36kg	6.24kg	6.40kg	7.30kg
Gross weight	1.41kg	2.15kg	2.83kg	3.44kg	4.17kg	4.85kg	6.81kg	8.78kg	9.88kg
Materail	Aluminum body								
Lumen effect	110-120lm/w								
Waterproof	IP66								
Voltage	90-270V, 50Hz								
CRI	≥80								
PF	>0.95								
Storage Temperatures	-40°C ~ 50°C								
Driver brand	MEANWELL				E	AN			
Dimension	50W (D340*76*H220mm) 100W (D340*156*H220mm) 150W (D340*236*H220mm) 200W (D340*316*H220mm) 250W (D340*396*H220mm) 300W (D340*472*H220mm) 400W (D660*316*H260mm) 500W (D660*396*H260mm) 600W (D660*472*H260mm)				692522 692522 692522 692522 692522 692522 692522	2075664 2075640 2075688 2075695 2075619 2075626 2075671 2075602 2075602			






INSTALLATION DIAGRAM

Simple and convenient isntallation



INSTALLATION METHOD

Three installation methods to meet the needs of different occasions



Wall mounted

Pedestal Mount

Sit-stand installation



PRODUCT DISPLAY

Various wattages to meet your different occasion needs







HIGH EFFICIENCY



122 Led Stadium - Outdoor

